

Drg No. QDH3Y

REMOVE ALL BURRS AND SHARP EDGES.

THIRD ANGLE PROJECTION.


CROWN WHEEL BOLT PCD
No. OF BOLTS
THREAD / THRO' HOLE
CROWN WHEEL SPIGOT DIA
BEARING DIA
BEARING DISTANCE
SPIGOT LENGTH

OVERALL LENGTH
BEARING/CROWN WHEEL
BORE

		INCH	MM
D1		5.118	130.0
		12	12
		0.412	10.5
D2		4.2509	108.0
D3		1.5755	40.0
L1		5.000	127.0
L2		0.725	18.4
L2/A		0.730	18.5
L3		6.455	164.0
L4		0.395	10.0
D4		1.1814	30.0

DRIVE SHAFT SPLINE:-
No. OF TEETH
PITCH
TYPE
PRESSURE ANGLE

25
24/48
FLAT ROOT SIDE FIT
30°



TITLE F.W.D. DIFF DATA SHEET.
SCALE 1:1 U.O.S. SHEET 1 OF 1
Drg. No. QDH3Y

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY
CONFIDENTIAL & THE COPYRIGHT THEREIN
THE EXCLUSIVE PROPERTY OF
R.T. QUARRE ENGINEERING LTD.
AND MAY NOT BE USED COPIED OR EXHIBITED
WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH.	GRIND@G
LIMITS. FRACT. $\pm 1/64"$	
DEC. $\pm 0.005"$	
MATERIAL.	
TREATMENT.	
ISSUE. 01 DATE. 24.11.05	
DRAWN BY. J.P.D.	

Used In. SUBARU